

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	"20040215810".pn. "20020073249".pn. "20040186877".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:14
L2	3	"20040249906".pn. "20020073249".pn. "20040186877".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:23
L3	3	"20040249906".pn. "20020073249".pn. "20040186877".pn. "20020073249".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:26
L4	3	"20040249906".pn. "20020073249".pn. "20040186877".pn. "20020073249".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:26
L5	4	"20040249906".pn. "20020073249".pn. "20040186877".pn. "20030120802".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:26
L6	6872	710/8/61.ccls. 709/237,220,232.ccls. 370/229.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:33
L7	597	rtcp.ab. rtp.ab. (((real adj time) or (realtime) or (real-time)) adj transport adj protocol).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:33
L8	437	L7 and (calculat\$4 analyz\$3 measur\$3 determin\$5 computing compute) and (order position)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:33
L9	437	L8 and (time session period interval span duration term)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:33
L10	203	L9 and (buffer stack routine (difference near rate near flow near (data or file)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:33
L11	4	l6 and L10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:33
L12	36631	tan-yasuo.in. tsuchiya.in. yamauchi.in. matsukura.in. (japan adj advanced adj institute).as. (fujitsu adj limited).as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:39
L13	0	l12 and l10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:39
L14	101	l12 and (rtcp or rtp)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:40

## EAST Search History

L15	71	l14 and packet	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:42
L16	28	l15 and buffer	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:43
L17	21	l16 and terminal	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 17:43
S4	1	"20040215810".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2007/11/15 09:45
S5	597	rtcp.ab. rtp.ab. (((real adj time) or (realtime) or (real-time)) adj transport adj protocol).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 13:22
S6	437	S5 and (calculat\$4 analyz\$3 measur\$3 determin\$5 computing compute) and (order position)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 13:26
S7	437	S6 and (time session period interval span duration term)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 13:28
S8	203	S7 and (buffer stack routine (difference near rate near flow near (data or file)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 13:33
S9	0	l4@ad>"03122004"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 13:34
S10	5605170	S7 and (buffer stack routine (difference near rate near flow near (data or file)))@ad>"03122004"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 13:35
S11	5605170	S6 and (time session period interval span duration term)@ad>"03122004"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 13:36
S12	203	S8 and @ad>"03122004"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 13:39
S13	0	S8 and @ad<"03122004"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 13:39
S14	0	S8 and @ad<"03122004"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 13:40
S15	129	S8 and @ad<"20040312"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 13:40

## EAST Search History

S16	106	S8 and @ad<"20030414"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 13:54
S17	31	(US-20040186877-\$ or US-20040066753-\$ or US-20040037320-\$ or US-20030188010-\$ or US-20030120802-\$ or US-20030118107-\$ or US-20030110229-\$ or US-20030098992-\$ or US-20030072310-\$ or US-20030065917-\$ or US-20030046387-\$ or US-20030041129-\$ or US-20030016664-\$ or US-20030016627-\$ or US-20020106029-\$ or US-20020031125-\$).did. or (US-7295547-\$ or US-7237108-\$ or US-7237039-\$ or US-7221660-\$ or US-7191242-\$ or US-7130314-\$ or US-7007062-\$ or US-6996624-\$ or US-6965646-\$ or US-6963561-\$ or US-6944185-\$ or US-6788675-\$ or US-6678250-\$ or US-6359656-\$ or US-6275471-\$).did.	US-PGPUB; USPAT	OR	ON	2007/11/15 15:58
S18	30	S17 and stor\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 15:59
S19	6	S17 and stor\$3 and calcul\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/15 16:15
S20	1	"5930752".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/16 11:21
S21	3	"5930752".pn. "5526354".pn. "5914940".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/16 11:22
S22	1	(US-20030120802-\$).did.	US-PGPUB	OR	ON	2007/11/19 09:50
S23	0	S22 and (time near rtcp)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 09:51
S24	0	S22 and (time near rtp)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 09:51
S25	1	S22 and (rtp)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 09:51

## EAST Search History

S26	1	S22 and (time)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 09:51
S27	1	S22 and (rtcp same time)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 09:52
S28	1	S22 and (rtcp same time same timestamp)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 09:53
S29	1	S22 and (rtcp same timestamp)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:06
S30	1	S22 and (rtcp same buffer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 10:40
S31	1	(US-20030120802-\$).did.	US-PGPUB	OR	ON	2007/11/19 14:11
S32	0	S31 and ((merg\$3 or combin\$4) same packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 14:11

## EAST Search History

S33	44	(US-20040213204-\$ or US-20040186877-\$ or US-20040170163-\$ or US-20040158704-\$ or US-20040101977-\$ or US-20040066753-\$ or US-20040037320-\$ or US-20030188010-\$ or US-20030120802-\$ or US-20030118107-\$ or US-20030110229-\$ or US-20030098992-\$ or US-20030097483-\$ or US-20030072310-\$ or US-20030065917-\$ or US-20030065804-\$ or US-20030046387-\$ or US-20030041129-\$ or US-20030018700-\$ or US-20030016664-\$ or US-20030016627-\$ or US-20020167911-\$ or US-20020106029-\$ or US-20020031125-\$ or US-20020026645-\$).did. or (US-7295547-\$ or US-7286652-\$ or US-7237108-\$ or US-7237039-\$ or US-7221660-\$ or US-7191242-\$ or US-7130314-\$ or US-7088723-\$ or US-7031311-\$ or US-7007062-\$ or US-6996624-\$ or US-6965646-\$ or US-6963561-\$ or US-6944185-\$ or US-6788675-\$ or US-6680955-\$ or US-6678250-\$ or US-6359656-\$ or US-6275471-\$).did.	US-PGPUB; USPAT	OR	ON	2007/11/19 14:17
S34	15	S33 and ((merg\$3 or combin\$4) same packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 14:18
S35	597	rtcp.ab. rtp.ab. (((real adj time) or (realtime) or (real-time)) adj transport adj protocol).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 14:41
S36	437	S35 and (calculat\$4 analyz\$3 measur\$3 determin\$5 computing compute) and (order position)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 14:41
S37	437	S36 and (time session period interval span duration term)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 14:41
S38	203	S37 and (buffer stack routine (difference near rate near flow near (data or file)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 14:41

## EAST Search History

S39	46	S38 and ((merg\$3 or combin\$4) same packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 14:41
S40	18	S38 and ((merg\$3 or combin\$4) same packet same time)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 14:41
S41	46	(US-20070186005-\$ or US-20070183323-\$ or US-20070177577-\$ or US-20070157283-\$ or US-20070121611-\$ or US-20070097987-\$ or US-20070086481-\$ or US-20070058640-\$ or US-20060245428-\$ or US-20060179151-\$ or US-20060160508-\$ or US-20060129693-\$ or US-20050091190-\$ or US-20050002525-\$ or US-20040240390-\$ or US-20040193762-\$ or US-20040170163-\$ or US-20040165585-\$ or US-20040095939-\$ or US-20040066753-\$ or US-20040037320-\$ or US-20030110229-\$ or US-20030098992-\$ or US-20030063569-\$ or US-20030002477-\$ or US-20020106029-\$).did. or (US-20020026645-\$ or US-20020018465-\$).did. or (US-7286652-\$ or US-7170887-\$ or US-7161939-\$ or US-7154881-\$ or US-7130314-\$ or US-7088723-\$ or US-6996624-\$ or US-6985459-\$ or US-6970935-\$ or US-6965646-\$ or US-6879581-\$ or US-6788675-\$ or US-6683909-\$ or US-6680955-\$ or US-6678250-\$ or US-6567399-\$ or US-6304574-\$ or US-6304567-\$). did.	US-PGPUB; USPAT	OR	ON	2007/11/19 14:43
S42	46	S41 and ((merg\$3 or combin\$4) same packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 14:44
S43	18	S41 and ((merg\$3 or combin\$4) same packet same time)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 14:44

## EAST Search History

S44	26	S41 and ((merg\$3 or combin\$4 or compress\$3) same packet same time)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 14:48
S45	8	(S41 and ((merg\$3 or combin\$4 or compress\$3) same packet same time)) not S43	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 14:48
S46	2	"5526354".pn. "5914940".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 16:07
S47	3	"5526354".pn. "5914940".pn. "5930752".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 16:10
S48	0	S37 and ((select\$3 or choos\$3 or input\$4) same (indentif\$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 16:53
S49	383	S37 and ((select\$3 or choos\$3 or input\$4 or enter\$3 or ((in adj (put or puts or putting)) or prompt\$4 or submit\$4) same (indentif\$3 or indicat\$3 or id)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 17:01
S50	124	S37 and ((select\$3 or choos\$3 or input\$4 or enter\$3 or ((in adj (put or puts or putting)) or prompt\$4 or submit\$4) same (indentif\$3 or indicat\$3 or id))) and display	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 17:01
S51	5	S37 and (((select\$3 or choos\$3 or input\$4 or enter\$3 or ((in adj (put or puts or putting)) or prompt\$4 or submit\$4) same (indentif\$3 or indicat\$3 or id))) same (display or monitor) same setting )	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 17:49
S52	294	(rtcp rtp (((real adj time) or (realtime) or (real-time)) adj transport adj protocol)) and (((select\$3 or choos\$3 or input\$4 or enter\$3 or ((in adj (put or puts or putting)) or prompt\$4 or submit\$4) same (indentif\$3 or indicat\$3 or id))) same (display or monitor) same setting )	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 18:33
S53	128	(rtcp rtp (((real adj time) or (realtime) or (real-time)) adj transport adj protocol)) and (((select\$3 or choos\$3 or input\$4 or enter\$3 or ((in adj (put or puts or putting)) or prompt\$4 or submit\$4) same (indentif\$3 or indicat\$3 or id))) same (display or monitor) same setting same time)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 18:34

## EAST Search History

S54	59	S53 and @ad<"20030326"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/19 18:35
S55	18573	identif\$4 same (file or file\$1system) same data\$1base	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:04
S56	9	S55 same (rtp rtcp)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:04
S57	12962	((user or client) near5 (specifi\$3 or creat\$3)) same (header or identif\$3)) and database	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:07
S58	44	((real adj time) or (realtime) or (real-time)) adj transport adj protocol)) and (((select\$3 or choos\$3 or input\$4 or enter\$3 or ((in adj (put or puts or putting)) or prompt\$4 or submit\$4) same (identif\$3 or indicat\$3 or id))) same (display or monitor) same setting same time	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:13
S59	44	S58 and @ad>"03122004"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:15
S60	27	S58 and @ad<"20030326"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:15
S61	7215	dhcp	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:24
S62	7442	(dhcp or (dynamic adj host adj configuration adj protocol))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:25
S63	690	(dhcp or (dynamic adj host adj configuration adj protocol)) and ((enter\$3 input\$4 list\$3 put\$1in) same (set\$4 configur\$3 customiz\$3) same (identif\$4 modif\$3) same (address))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:36
S64	320	S63 and @ad<"20030326"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:37
S65	62	(dhcp or (dynamic adj host adj configuration adj protocol)) and ((enter\$3 input\$4 list\$3 put\$1in) with (set\$4 configur\$3 customiz\$3) with (identif\$4 modif\$3) with(address))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:38



## EAST Search History

S66	4194763	l13and @ad<"20030326"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:38
S67	20	S65 and @ad<"20030326"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 10:38
S68	1	"20030120802".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/11/20 11:21